

! " ! # \$ % & ' () * + , - & ' \$. +) / & & 0 \$ 1 + * 2 3 4 \$ 5 3 (+ /) (\$
 6 * - 7 & ' 8 \$ 5 3 (+ /) (\$ \$ \$ \$

! " ! # \$ % & ' () * + , - . / + * \$ + 0 \$ 1 +) 2 &) 3 , + , 4) ' 5 ' 6 ' 7 ' 8) + * \$ 7 ' (+ 5 ' 7 1) + \$ 9 + & (\$:) 3 , ; + 0 \$ 1 + 3 \$ % & (,) + \$ (+ < + . - ! + , \$ + 8) +
 = ' < ; >) (+ \$ (+ ' 7 + % ' (?) , + ' () ' ; + < + > 4 6 3 4 + 0 \$ 1 (+ 8 1 ; 6 <) ; ; + \$ & (' ,) ; @ + B) ; & \$ < ;) ; A + - C +

Market	Higher	Lower	Same	Net*
Warehouse	58%	25%	17%	33%
Other Healthcare (e.g., clinic, testing or screening facility, medical lab)	57%	29%	14%	29%
Hospital	29%	36%	36%	-7%
Bridge/Highway	31%	38%	31%	-8%
K-12 School	33%	42%	25%	-8%
Manufacturing	36%	45%	18%	-9%
Federal (e.g., VA, GSA, USACE, NAVFAC)	25%	38%	38%	-13%
Transportation (e.g., transit, rail, airport)	33%	47%	20%	-13%
Water/Sewer	33%	53%	13%	-20%
Higher Education	23%	46%	31%	-20%
Public Building	25%	50%	25%	-25%
Multifamily Residential				
Power				
Private Office				
Lodging				
Retail				

! " ! # \$ % & ' () * + , - . # / 0 # % 1 # \$ 2 # # / % ' 3 1 # . % - % 6 , 7 8 # . 9 % (/ + % : 4 2 # . 9 % # * ; 4 / * # * % (* % # . 0 # / \$ % 4 - % 4 \$ () <


- ! " D 4 ' , + 3 4 ' < E) ; + * \$ + 0 \$ 1 +) 2 &) 3 , + < + 0 \$ 1 (+ 6 (% F ; + 4) ' * 3 \$ 1 < , + < + . - ! G + B) ; & \$ < ;) ; A + - C +

C ! " + \$ > + > \$ 1 7 * + 0 \$ 1 + *) ; 3 (6 8) + 0 \$ 1 (+ 3 1 ((< , + ; 6 , 1 ' , 6 \$ < + < + 9 6 7 7 6 < E + ; ' 7 ' (6) * + < * + 4 \$ 1 (7 0 + 3 (' 9 , + & \$; 6 , 6 \$ < ; G +
 + B) ; & \$ < ;) ; A + - C +

I"! J\$+0\$1+)2&)3,+ ' <0+34' <E);+6<+,4)+ ' 5' 6' 8676,0+\$9+4\$1(70+3(' 9,+\$(+; ' 7' (6) *+&)(; \$<<)7+\$5)(+,4)+3\$%6<E! --+
%\$<,4;G+B);&\$<;);A+-C+

+

K"! J6*+0\$1(+




+
 M! ++J6*+<+>(&\$;,&\$<)+\$(+3' <3)7+<0+&(\$:3,;+,4',+>)(+;34)*17)*+,\$+;,'(,4<+-.-.+\$(+-.-!G+%'(?+77+,4',+ '&&70@B);&\$<);A+-+


+
 N! +D4)<+*\$+0\$1+)2&)3,+0\$1(+%(%F;+5\$71%)+\$9+81;6<);;+>67+(,1(<+,\$4;+<\$(%'77)5)7+(7',65)+,\$+<)+0)'(+)'(76)(G+B);&\$<);A-C

0"! +D4' ,+' ()+0\$1(+8&EE); ,+3\$<3)(<;#\$(+ . -! G+=%' (?+ 7+,4' ,+' &&70@B);&\$<;);A+-C+

!. "I+D4' ,+34' 77)<E);/49+<0/+* \$+0\$1+;)))+(E' (*6<E+,4)+;' 9),0+<*+4)' 7,4+\$9+0\$1(+#(%P;+>\$(?);+=%' (?+' 77+,4' ,+ '&&70@G+B);&\$<;);A-C!



!!"!D4' ,+8); ,+*); 3(68); +0\$1(+#(%G+B);&\$<;);A-C+




+
+
+

+
+

+

+

+



!